elumatec

a voilàp company

DG 104

DOUBLE MITRE-SAWS



- The optimal double mitre saw for series production as well as for special applications
- The universal pivoting and tilting of both saw units allows cutting of high and wide profiles as well as every type of compound mitre. Consequently, many profiles can be cut without support blocks
- External-dimension cuts possible for all cutting variants. Consequently, no complicated length calculations are necessary. This is a big advantage when cutting special angles
- Pivoting range with digital angle display
- Safety hoods
- Equipped with saw blades as standard
- Available with E390 or E590 control system
- Pulsed coolant system

Cutting length variants

- 3,000 mm
- 4,500 mm
- 6,000 mm

Options

- DG 104 M machine bed made of steel sheet (cutting length 4,500 mm, 6,000 mm)
- Profile lifting bars
- Software for E 590: Software module for chop and oversize length cuts

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.

- Mobile or automatically retractable workpiece supports
- Material clamping units
- Transom stop and lead-cut stop
- Label printer for variants with E 390 and E 590
- Exhaust connectors, extraction system
- Clock system
- Roller conveyors
- Saw blades
- High performance cutting fluid

Controller variants

- Positioning control E 390
- PC Control E 590


elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com


The right to make technical alterations is reserved.



Double mitre saw DG 104 + E 590



Double mitre saw DG 104




Double mitre saw DG 104



Double mitre saw DG 104

Short stop



Double mitre saw DG 104

Cutting diagram DG 104



Printer

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.