
DT

ASSEMBLY TABLES




Rotating table for all work tasks on frames and sashes. Stable steel construction. Rotating work table. Versatile work table for all applications, e.g. for assembly tasks, as a work table for gasket insertion, for the post-processing of special-order production items, for hardware assembly as well as for final assembly. Four continuously adjustable pull-out support arms. Support arms are rubber coated. Table surface can be rotated 360° and locked using pedal. With practical storage tray and practical tool tray.

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany


Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.




Supporting surfaces

Support arms are rubber coated




Storage area

Practical storage for small accessories, hardware and screws



Tool rack

Tool rack for pneumatic or electrical tools



Support arms

Four pivoting and continuously adjustable pull-out support arms



Pedal brake

Table surface can be rotated 360°; foot brake for locking the rotation

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.

DT / ASSEMBLY TABLES

MODELS

DT 1000



DIMENSION AND WEIGHT

Length (mm)	700 ÷ 1.000
Height (mm)	900
Weight (kg)	110

SUPPORTING SURFACE

Storage tray for setting down tools and accessories	●
Rubber coated support arms	●
Felt surface	○

Included ● Available ○

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.