





### GLW48

Glass  
compartment/glazing  
bead trolleys



Profile trolley for vertical storage and transportation of aluminium glazing beads


- Stable steel construction
- Double-sided profile trolley for vertical storage and transportation of glazing beads
- Quick access to pre-sorted glazing beads
- Four sorting racks with fixed spacing
- Compartment dividers covered with protective tubing
- Lower supporting surface clad with protective rubber
- Rear back support with rubber strips
- 24 compartments per side
- Transport handle on both sides
- Four castors, two of which have a fixing brake

**Glazing bead trolley GLW 48****Compartment divider with plastic protector**

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage

**Back support with rubber strips**


Rear supporting surfaces equipped with rubber strips protect profiles from damage

**Supporting surfaces with protective rubber**

Lower supporting surfaces clad with rubber protect the profiles from damage

**Transport handles**

Transport handles on both sides for mobility

**Casters**

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling

**GLW 48 / GLASS COMPARTMENT/GLAZING BEAD TROLLEYS**

- Length 1,620 mm
- Width 620 mm
- Height 1,640 mm
- Eight compartment dividers
- Compartment width 40 mm
- Compartment depth 90 mm
- Unit height 1,400 mm
- Weight 120 kg
- Load 400 kg
- 48 compartments
- Roller diameter 125 mm