

## **TECHNICAL SHEET**

03/09/2025

# HT1000

# HORIZONTAL ASSEMBLY TABLES



Horizontal table for all work tasks on frames and sashes

- Stable steel construction
- Table supporting surface with plastic slide bars
- Storage tray for setting down tools and accessories
- Adjustable height
- Simple installation with a modular system design

#### **Options**

- Also available with brush strips on request
- Also available with felt strips on request (for wooden elements)
- Also available with rubber strips on request (for aluminium elements)
- Roller support
- Tool rack
- 4-fold compressed air supply

1




# **TECHNICAL SHEET**

03/09/2025



Horizontal table -Individual table HT 1000



**Supporting surfaces**Supporting surfaces with plastic slide bars



**Storage tray** 

Storage tray for setting down tools and accessories



### Height adjustment

Adjustable height; working height can be set to 850 – 1,000 mm by means of adjustable feet



#### **Brush strip**

Supporting surfaces with brush strip for HT 1000



#### Felt strip

Supporting surfaces with felt strip for HT 1000



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.

# *elumatec*

## **TECHNICAL SHEET**

03/09/2025



#### **Rubber strips**

Supporting surfaces with rubber-knob profile for aluminium elements



#### **Tool rack**

Tool rack for pneumatic or electrical tools




# 4-fold compressed air connection

4-fold compressed air connection for connecting compressed-air tools



# Roller support, cmpl., for HT 1000/PVC

Hard plastic rollers with polyamide coating, on plain bearings, load per roller: 60 kg, convenient for transport and handling of PVC elements



# Rubber roller support, cmpl., for HT 1000/Alum.

Plastic rollers with polyurethane coating, on ball bearings, load per roller: 40 kg, convenient for transport and handling of aluminium elements



## **Pneumatic lifting unit**

Lifting unit L = 1,000 mm



Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.



# **TECHNICAL SHEET**

03/09/2025

### HT 1000 / HORIZONTAL ASSEMBLY TABLES

- Length 1,000 mm
- Width 1,300 mm
- Height 850 1,000 mm
- Weight 70 kg