


15/09/2025

HT2000

HORIZONTAL ASSEMBLY TABLES



Horizontal table for all work tasks on frames and sashes

- Stable steel construction
- Table supporting surface with plastic slide bars
- Storage tray for setting down tools and accessories
- Adjustable height
- Simple installation with a modular system design

Options

- Also available with brush strips on request
- Also available with felt strips on request (for wooden elements)
- Also available with rubber strips on request (for aluminium elements)
- Roller support
- Tool rack
- 4-fold compressed air supply
- Storage area with six plastic trays

1



15/09/2025



Horizontal table - Individual table HT 2000



Supporting surfacesSupporting surfaces with plastic slide bars



Storage tray

Storage tray for setting down tools and accessories



Height adjustment

Adjustable height; working height can be set to 850 – 1,000 mm by means of adjustable feet



Brush strip

Supporting surfaces with brush strip for MT/HT 2000 $\,$



Felt strip

Supporting surfaces with felt strip for MT/HT 2000



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.

elumatec


TECHNICAL SHEET

15/09/2025



Rubber strips

Supporting surfaces with rubber-knob profile for aluminium elements



Storage area

Storage area with six plastic trays for small accessories, hardware and screws



Tool rack

Tool rack for pneumatic or electrical tools



4-fold compressed air connection

4-fold compressed air connection for connecting compressed-air tools



Roller support, cmpl., for HT 2000/PVC

Hard plastic rollers with polyamide coating, on plain bearings, load per roller: 60 kg, convenient for transport and handling of PVC elements



Roller support, cmpl., for HT 2000/Alum.

Plastic rollers with polyurethane coating, on ball bearings, load per roller: 40 kg, convenient for transport and handling of aluminium elements



Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.



15/09/2025



Pneumatic lifting unit

Lifting unit L = 2,000 mm



15/09/2025

HT 2000 / HORIZONTAL ASSEMBLY TABLES

- Length 2,000 mm
- Width 1,300 mm
- Height 850 1,000 mm
- Weight 90 kg

elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.