


26/07/2025



- For cutting aluminium profiles to length accurately
- For mounting on all single-head saws (right-hand side)
- Stop carriage can be folded back for positioning of profiles
- Automatic retraction unit: No re-cutting by the saw blade (option)
- Patented rail and carriage system
- Length stop and measuring system with sliding stop and difference scale for quick and accurate adjustment

Length variants

- 3.000 mm
- 4.500 mm
- 6.000 mm
- Special lengths on request
- Variant for left-hand attachment on request

MMS 200 with E 111

See MMS 200, however:

• Digital display E 111



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.



TECHNICAL SHEET

26/07/2025



Stop and measurement system MMS 200



Stop and measurement system MMS 200



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.



MMS 200 / LENGTH STOP AND MEASURING SYSTEMS

- Accurate dimension adjustment using digital display
- Switching from absolute dimensions to chain dimensions
- Actual values of the display are stored when mains is switched off
- Quick read-out from the digital display. Resolution 0.1 mm
- Power supply 230 V, 1~, 50/60 Hz
- Switching between mm/inches
- Input of any desired reference value by means of front keypad



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.