
# MST

ASSEMBLY TABLES



MST 1000: Stable steel construction galvanised. Plastic support rollers. Height is adjustable.
MST 2000 - MST 3000: Assembly table expandable for all work tasks on frames and sashes. Stable steel construction. Horizontal frame transportation. Storage tray for setting down tools and accessories. Adjustable height. Table supporting surface with plastic slide bars. Simple installation with a modular system design.

**elumatec AG**
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.




## Plastic rollers MST 1000

Support rollers L = 500 mm



## Height adjustment MST 1000

Adjustable height 700 – 1,100 mm



## Supporting surfaces MST 2000 / MST 3000

Supporting surfaces with plastic slide bars



## Height adjustment MST 2000 / MST 3000

Adjustable height; working height can be set to 850 – 1,000 mm by means of adjustable feet

**elumatec AG**
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.

# **MST** / ASSEMBLY TABLES

## MODELS




## DIMENSION AND WEIGHT

**MST 1000 / MST 2000 / MST 3000**

| | |
|---|---|
| Length (mm) | 550 / 2.000 / 3.000 |
| Width (mm) | 450 / 1.300 / 1.300 |
| Weight (kg) | 10 / 90 / 110 |

**MST 2000 / MST 3000**

| | |
|---|---|
| Height (mm) | 850 ÷ 1.000 |

## SUPPORTING SURFACE

**MST 1000**

| | |
|---|---|
| Support roller diameter (mm) | 50 |
| Support roller length (mm) | 500 |
| Adjustable height (mm) | 700 ÷ 1.100 |

**MST 2000 / MST 3000**

| | |
|---|---|
| Adjustable height | ● |
| Storage tray for setting down tools and accessories | ● |
| Table brush strip supporting surface | ○ |
| Table felt profile strip supporting surface | ○ |
| Table rubber knob profile | ○ |

**elumatec AG**
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.

## CHARACTERISTICS

### MST 2000 / MST 3000

| | |
|---|---|
| 4-fold compressed air supply | ○ |
| Castor wheel Stand Alone (2 castors + 2 fixed) | ○ |

Included ● Available ○

**elumatec AG**
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.