


## MT3000

### Horizontal assembly tables



Assembly table for all work tasks on frames and sashes

- Stable steel construction
- Assembly table for all work tasks on frames and sashes
- Table supporting surface with plastic slide bars
- Storage tray for setting down tools and accessories
- Adjustable height
- Practical storage area under the table surface
- Four PVC containers for small accessories, hardware and screws
- 4-fold compressed air supply
- Simple installation with a modular system design

#### Options


- Also available with brush strips on request
- Also available with felt strips on request (for wooden profiles)
- Also available with rubber strips on request (for aluminium profiles)
- Double two-pin grounded socket
- Tool rack
- Maintenance unit
- Castors, cpld.
- Spiral hose

**Assembly table MT 3000****Supporting surfaces**

Supporting surfaces with plastic slide bars

**Storage tray**


Storage tray for setting down tools and accessories

**Storage area**

Storage area with four plastic trays for small accessories, hardware and screws

**Height adjustment**

Adjustable height; working height can be set to 850 - 1,000 mm by means of adjustable feet

**4-fold compressed air connection**

4-fold compressed air connection for connecting compressed-air tools

**Casters, cpl.**

Two casters with brake and two fixed rollers provide mobility in all directions

**Brush strip**


Supporting surfaces with brush strip

**Felt strip**


Supporting surfaces with felt profile strip

**Rubber strips**

Supporting surfaces with rubber-knob profile

**Tool rack**

Tool rack for pneumatic or electrical tools

**Maintenance unit**

Maintenance unit for compressed-air tools



**Double two-pin grounded socket**



**Spiral hose**

Spiral hose L = 2.5 m with kink protection, coupling and connection for compressed-air tools

**MT 3000 / HORIZONTAL ASSEMBLY TABLES**

- Length 3,000 mm
- Height 850 - 1,000 mm
- Width 1,300 mm
- Weight 120 kg

elumatec AG  
Pinacher Straße, 61  
75417 Mühlacker  
Germany

Tel +49 7041-14-184  
[sales@elumatec.com](mailto:sales@elumatec.com)  
[www.elumatec.com](http://www.elumatec.com)

The right to make technical alterations is reserved.