

TECHNICAL SHEET

25/11/2025

AMS**200** / **E355**

Glazing bead measuring systems



Length stop and measuring system with automatic cutting length adjustment and E 355 positioning controller

- For cutting aluminium profiles to length accurately
- For mounting on all single-head saws (right-hand side)
- Stop carriage can be folded back for positioning of profiles
- Automatic retraction unit: No re-cutting by the saw blade (option)
- Patented rail and carriage system

Length variants

- 3,000 mm
- 4,500 mm
- 6,000 mm
- Special lengths on request
- Variant for left-hand attachment on request

Optional

• Label printer

elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany

Tel +49 7041-14-184 sales@elumatec.com

The right to make technical alterations is reserved.

1



TECHNICAL SHEET

25/11/2025



Length stop and measuring system AMS 200 + E 355



Length stop and measuring system AMS 200



Length stop and measuring system AMS 200



TECHNICAL SHEET

25/11/2025

AMS 200 / E355 / GLAZING BEAD MEASURING SYSTEMS

- Measuring system is independent of drive
- Positioning accuracy +/- 0.1 mm per metre
- Power supply 230 V, 1~, 50/60 Hz
- Pneumatic locking at position
- 5.7" matrix display with membrane keyboard and hand wheel for navigation through the operation menus
- Memory for 1,000 data records. Correction values for profiles
- The block number, length dimension, profile number, angular position and quantity can be saved in the memory
- USB port on the front

elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com

The right to make technical alterations is reserved.