

## **TECHNICAL SHEET**

25/11/2025

# AMS**200** / **E570**

Glazing bead measuring systems



- Length stop and measuring system with 1-axis control for cutting-length positioning
- For cutting aluminium profiles to length accurately
- For mounting on all single-head saws (right-hand side)
- Stop carriage can be folded back for positioning of profiles
- Automatic retraction unit: No re-cutting by the saw blade (optional)
- Patented rail and carriage system

#### **Length variants**

- 3,000 mm
- 4,500 mm
- 6,000 mm

Variant for left-hand attachment on request

#### **Optional**

- Label printer
- EMA measuring and reading system

elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany

Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.

1



# **TECHNICAL SHEET**

25/11/2025



Length stop and measuring system AMS 200



Length stop and measuring system AMS 200



### **TECHNICAL SHEET**

25/11/2025

#### AMS 200 / E570 / GLAZING BEAD MEASURING SYSTEMS

- Machine configurations with 1, 3 or 5 axes
- Length measurement using an absolute measuring system independent of drive
- Pneumatic locking at position
- Robust, low-wear direct drive for moving saw unit
- Ergonomic location of the control unit
- PC with Windows operating system
- Four USB ports
- 12" touchscreen
- One serial RS 232 interface
- Two network ports, RJ45, 10/100 Mbit
- Ports for connecting additional keyboard and mouse

elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com

The right to make technical alterations is reserved.