AS 70

COPY ROUTERS



- Versatile for many applications in aluminium and PVC profile machining
- Precision routing with a minimum of effort and easy, two-lever operation
- Copy routing at a ratio of 1:1 transfers the cutting pattern from a template to the profile
- Your own custom templates can be created (by copying the template to a blank)
- Copy routing using stops is also possible (only rectangular cutting patterns)
- Can be set up in only a few steps
- Pneumatic material clamping unit
- Manual tracer point with three levels for different cutter diameters
- Pulsed coolant system

Options

- Copy templates
- Collets
- Stands and guide bars
- Workpiece supports and stops
- Material clamping units
- Cutting tools
- High performance cutting fluid

1-SPINDLE COPY ROUTER AS 70/45

See AS 70/44, however:

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.

- Speed switching from 12,000 rpm to 6,000 rpm for cutting thin-walled steel profiles

1-SPINDLE COPY ROUTER AS 70/50

See AS 70/44, however:

- Table-top unit
- Manual material clamping unit
- No pulsed coolant system

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.



1-spindle copy router AS 70/44



1-spindle copy router AS 70/44

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.