

09/09/2025

HT2000



HORIZONTAL ASSEMBLY TABLES

Modular work table for a production line (basic module)

- Stable steel construction
- Universal system of work tables for lines with a continuous production flow
- Modular system basic module + additional module
- Add-on elements for individualised expansion
- Additional modules are easy to install
- Versatile work table for all applications: for example, as an individual table in the production flow, as an in-line workstation for assembly work, as a work table for gasket insertion, for the post-processing of special-order production items or as a buffer zone
- Table supporting surface with plastic slide bars
- Adjustable height
- Simple installation with a modular system design



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com

elumatec

TECHNICAL SHEET

09/09/2025



Horizontal table -Expansion HT 2000 E



Storage tray Storage tray for setting down accessories and tools



Height adjustment Adjustable height. Working height can be set to 850 - 1,000 mm by means of adjustable feet



Brush strip Supporting surfaces with brush strip



Felt strip Supporting surfaces with felt strip



Supporting surfaces Supporting surfaces with plastic slide bars



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com

elumatec

TECHNICAL SHEET

09/09/2025




Tool rack Tool rack for pneumatic or electrical tools



4-fold compressed air connection

4-fold compressed air connection for connecting compressed-air tools



Storage area Storage area with six plastic trays for small accessories, hardware and screws



End rack End rack for HT 2000



End strip with knob profile



Roller support, cmpl., for HT 2000/PVC

Hard plastic rollers with polyamide coating, on plain bearings. Load per roller: 60 kg, convenient for transport and handling of PVC elements




elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com

elumatec

TECHNICAL SHEET

09/09/2025



Roller support, cmpl., for HT 2000/Alum.

Plastic rollers with polyurethane coating, on ball bearings. Load per roller: 40 kg, convenient for transport and handling of aluminium elements



Fold-up pass-through section for HT

Roller support, cmpl., for fold-up passthrough section/PVC.Rubber roller support cmpl. for fold-up pass-through section/Alum.



Rubber strips Supporting surfaces with rubber-knob profile for aluminium elements



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com



- Length 2,000 mm
- Height 850 1,000 mm
- Width 1,300 mm
- Weight 80 kg



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com