


25/11/2025

## HT3000

Horizontal assembly tables



Horizontal table for all work tasks on frames and sashes


- Stable steel construction
- Assembly table for all work tasks on frames and sashes
- Table supporting surface with plastic slide bars
- Storage tray for setting down tools and accessories
- Adjustable height
- Simple installation with a modular system design

#### **Options**

- Also available with brush strips on request
- Also available with felt strips on request (for wooden elements)
- Also available with rubber strips on request (for aluminium elements)
- Roller support
- Tool rack
- 4-fold compressed air supply
- Storage area with six plastic trays




25/11/2025



Horizontal table -Individual table HT 3000



**Supporting surfaces**Supporting surfaces with plastic slide bars




**Storage tray**Storage tray for setting down tools and accessories



#### Height adjustment

Adjustable height, working height can be set to 850 – 1,000 mm by means of adjustable feet



#### Storage area

Storage area with six plastic trays for small accessories, hardware and screws



#### **Brush strip**

Supporting surfaces with brush strip



Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.



25/11/2025



Felt strip

Supporting surfaces with felt profile strip



**Rubber strips** 

Supporting surfaces with rubber-knob profile for aluminium elements



**Tool rack** 

Tool rack for pneumatic or electrical tools




## 4-fold compressed air connection

4-fold compressed air connection for connecting compressed-air tools



# Roller support, cmpl. for HT 3000/PVC

Hard plastic rollers with polyamide coating, on plain bearings, load per roller: 60 kg, convenient for transport and handling of PVC elements



## Roller support, cmpl., for HT 3000/Alum.

Plastic rollers with polyurethane coating, on ball bearings, load per roller: 40 kg, convenient for transport and handling of aluminium elements



Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.



25/11/2025



**Pneumatic lifting unit** 

Lifting unit L = 3,000 mm



25/11/2025

#### HT 3000 / HORIZONTAL ASSEMBLY TABLES

- Length 3,000 mm
- Width 1,300 mm
- Height 850 1,000 mm
- Weight 120 kg