

24/07/2025

## MTA3000

# HORIZONTAL ASSEMBLY TABLES



Assembly table expandable for all work tasks on frames and sashes

- Stable steel construction
- Universal assembly table
- Pull-outs on four sides
- Ideal for large elements
- Adjustable height
- Table supporting surface with plastic slide bars
- Practical storage area under the table surface
- Four PVC containers for small accessories, hardware and screws
- 4-fold compressed air supply
- Simple installation with a modular system design

#### **Options**

- Also available with brush strips on request
- Also available with felt strips on request (for wooden profiles)
- Also available with rubber strips on request (for aluminium profiles)
- Castors, cmpl.

elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany

Tel +49 7041-14-184 sales@elumatec.com

The right to make technical alterations is reserved.


1



24/07/2025




Assembly table MTA 3000



**Supporting surfaces** 

Supporting surfaces with plastic slide bars



#### Storage area

Practical storage area under the table surface with 4 PVC containers for small accessories, hardware and screws



## 4-fold compressed air connection

4-fold compressed air connection for connecting compressed-air tools



#### **Height adjustment**

Adjustable height; working height can be set to 850 – 1,000 mm by means of adjustable feet



#### **Brush strip**

Supporting surfaces with brush strip



Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.



24/07/2025



#### Felt strip

Supporting surfaces with felt strip



#### **Rubber strips**

Supporting surfaces with rubber-knob profile



#### Casters, cmpl.

Two casters with brake and two fixed rollers provide mobility in all directions



elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com

The right to make technical alterations is reserved.



24/07/2025

#### MTA 3000 / HORIZONTAL ASSEMBLY TABLES

- Length 2,400 4,000 mm
- Width 1,300 1,900 mm
- Height 850 1,000 mm
- Weight 160 kg

elumatec AG Pinacher Straße, 61 75417 Mühlacker Germany Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.