




### PWS1000

Logistic



Profile trolley for vertical storage and transportation of profiles

- Stable steel construction
- Vertical profile transportation
- Profile trolley with loading on one side
- Easy loading and unloading
- Sufficient for 30-40 profile bars
- Compartment divider height is adjustable
- Supporting surface with bar grid floor
- Four castors, two of which have a fixing brake

#### Options

- Plastic protector for PWS 1000



**Profile transport trolley  
PWS 1000**




**Easy loading and  
unloading**

Profile trolley with loading on one side




**Compartment dividers**

Compartment divider height is adjustable,  
Compartment width 100 mm, Compartment  
depth 540 mm




**Supporting surface**

Supporting surface with bar grid floor



**Casters**

Four casters, two of which have a fixing  
brake, provide a high degree of mobility  
and easy, safe handling



**Plastic protector**

All supporting surfaces have a non-slip PVC  
cladding which protects surfaces from  
damage during storage

**PWS 1000 / LOGISTIC**

- Length 1,200 mm
- Width 800 mm
- Height 1,360 mm
- Two compartment dividers
- Nine compartments
- Roller diameter 125 mm
- Compartment width 100 mm
- Compartment depth 540 mm
- Unit height 1,150 mm
- Weight 60 kg
- Load 350 kg

elumatec AG  
Pinacher Straße, 61  
75417 Mühlacker  
Germany

Tel +49 7041-14-184  
[sales@elumatec.com](mailto:sales@elumatec.com)  
[www.elumatec.com](http://www.elumatec.com)

The right to make technical alterations is reserved.