


### **TECHNICAL SHEET**

25/11/2025

# PWS**4000**

Profile transport trolleys



Profile trolley for vertical storage and transportation of profiles

- Stable steel construction
- Vertical profile transportation
- Profile trolley can be loaded on both sides
- 18 compartments per side
- Easy loading and unloading
- Sufficient for 120 160 profile bars
- Compartment dividers height is adjustable
- Supporting surface with bar grid floor
- Four castors, two of which have a fixing brake

### **Options**

Plastic protector for PWS 4000

1



# **TECHNICAL SHEET**

25/11/2025



Profile transport trolley PWS 4000



Easy loading and unloading

Profile trolley with loading on two sides



**Compartment dividers** 

Compartment divider height is adjustable, Compartment width 100 mm, Compartment depth 400 mm



Supporting surface

Supporting surface with bar grid floor



#### **Casters**

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



#### **Plastic protector**

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



Tel +49 7041-14-184 sales@elumatec.com www.elumatec.com The right to make technical alterations is reserved.



# **TECHNICAL SHEET**

25/11/2025

### PWS 4000 / PROFILE TRANSPORT TROLLEYS

- Length 2,230 mm
- Width 1,560 mm
- Height 1,850 mm
- Four compartment dividers
- 36 compartments
- Roller diameter 125 mm
- Compartment width 100 mm
- Compartment depth 400 mm
- Unit height 1,620 mm
- Weight 200 kg
- Load 600 kg