




PWS4000

Profile transport trolleys



Profile trolley for vertical storage and transportation of profiles

- Stable steel construction
- Vertical profile transportation
- Profile trolley can be loaded on both sides
- 18 compartments per side
- Easy loading and unloading
- Sufficient for 120 – 160 profile bars
- Compartment dividers height is adjustable
- Supporting surface with bar grid floor
- Four castors, two of which have a fixing brake

Options

- Plastic protector for PWS 4000



**Profile transport trolley
PWS 4000**




**Easy loading and
unloading**

Profile trolley with loading on two sides



Compartment dividers

Compartment divider height is adjustable,
Compartment width 100 mm, Compartment
depth 400 mm




Supporting surface

Supporting surface with bar grid floor



Casters

Four casters, two of which have a fixing
brake, provide a high degree of mobility
and easy, safe handling



Plastic protector

All supporting surfaces have a non-slip PVC
cladding which protects surfaces from
damage during storage

PWS 4000 / PROFILE TRANSPORT TROLLEYS

- Length 2,230 mm
- Width 1,560 mm
- Height 1,850 mm
- Four compartment dividers
- 36 compartments
- Roller diameter 125 mm
- Compartment width 100 mm
- Compartment depth 400 mm
- Unit height 1,620 mm
- Weight 200 kg
- Load 600 kg