elumatec

a voilàp company

AS 170

COPIADORAS



- Grande área de fresar apesar da construção compacta
- Fresas-copiadoras conforme encostos laterais ou matriz na proporção 1:1
- Apalpador pneumático de dois níveis para dois diâmetros diferentes do fresador
- A suspensão patenteada da alavanca copiadora garante entalhes exatas com pouco esforço
- Ajuste em altura da mesa para perfis extremamente altos até 400 mm
- Fácil troca de ferramentas com spindle lock
- Dispositivo de fixação pneumático para o material
- Sistema de pulverização doseada

Opções

- Escantilhões
- Escantilhões em bruto
- Apalpadores
- Pinças de aperto
- Sistemas de batente
- Dispositivos de fixação do material
- Ferramentas de fresar

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.

- Agente de corte de alto rendimento

FRESA-COPIADORA DE 1 CABEÇA AS 170/10

Vide AS 170/00, no entanto:

- Inclusive sistema de batente

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.



Fresa-copiadora de 1 cabeça AS 170/10



Fresa-copiadora de 1 cabeça AS 170/10

elumatec AG
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.