elumatec

a voilàp company

# AS 170

KOPYA FREZE MAKINELERI



- Kompakt tasarımına rağmen büyük frezeleme aralığı
- Yan dayamalara veya şablona göre 1:1 oranında kopya frezeleme
- 2 farklı freze çapı için iki kademeli pnömatik kopyalama pimi
- Kopyalama kolunun patentli süspansiyonu, düşük miktarda güç harcayarak hassas frezelemeyi garanti etmektedir
- 400 mm'ye kadar yüksek profiller için tabla yükseklik ayarı
- "Mil kilidi" sayesinde kolay takım değiştirme imkânı
- Pnömatik malzeme sıkıştırma ünitesi
- Dozajlı püskürtme tertibatı

**Opsiyonlar**

- Kopyalama şablonları
- Kopyalama şablonu ham parçaları
- Kopyalama pimleri
- Pensler
- Dayama sistemleri
- Malzeme sıkıştırma üniteleri

**elumatec AG**
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.

- Kertme bıçağı
- Yüksek performanslı kesim sıvısı

**TEK MOTORLU KOPYA FREZE AS 170/10**

Bkz. AS 170/00, ancak :

- Sağ/sol dayama sistemi dahil

**elumatec AG**
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.



**Tek Motorlu Kopya Freze AS 170/10**



**Tek Motorlu Kopya Freze AS 170/10**

**elumatec AG**
Pinacher Straße, 61
75417 Mühlacker
Germany

Tel +49 7041-14-184
sales@elumatec.com
www.elumatec.com

The right to make technical alterations is reserved.